

INVITATION TO BID

Bid Reference No.: 2024-009

PROCUREMENT OF VARIOUS GOODS FOR THE PROVISION OF AQUACULTURE, CAPTURE AND POST-HARVEST INTERVENTIONS TO THE MUNICIPAL FISHERFOLK UNDER THE FISHERIES PRODUCTION AND LIVELIHOOD COMPONENT OF THE SAAD PROGRAM FOR THE MUNICIPALITY OF CAJIDIOCAN, ROMBLON — CY 2024

1. The Bureau of Fisheries and Aquatic Resources (BFAR) Regional Fisheries Office - MIMAROPA, Department of Agriculture intends to apply the sum of FIVE MILLION FORTY-SEVEN THOUSAND FIVE HUNDRED FIFTY (Php 5,047,550.00) PESOS being the ABC to payments under the contract for Bid Reference No.: 2024-009 entitled "PROCUREMENT OF VARIOUS GOODS FOR THE PROVISION OF AQUACULTURE, CAPTURE AND POST-HARVEST INTERVENTIONS TO THE MUNICIPAL FISHERFOLK UNDER THE FISHERIES PRODUCTION AND LIVELIHOOD COMPONENT OF THE SAAD PROGRAM FOR THE MUNICIPALITY OF CAJIDIOCAN, ROMBLON — CY 2024". The said procurement project composed of FIFTEEN (15) LOTS is particularly described as follows:

— CY 2024". The said procurement project composed of FIFTEEN (15) LOTS is particularly described as follows:					
PROCUREMENT DETAILS	LOT NO.	ITEM/DESCRIPTION	APPROVED BUDGET FOR THE CONTRACT	PRICE OF BID DOCUMENTS	
PR # 2024-01-	1	AQUACULTURE	Php120,000.00	Php 500.00	
0053		TEN (10,000) THOUSAND PIECES OF MILKFISH FINGERLINGS			
P.A.P: 3-1-01-		ACR C L EL			
05-1-00001- 001		Milkfish Fingerlings Size: 5-6"			
001		Deliver on site			
END USER: ROBERTO R.	2	ONE HUNDRED SEVEN (107) SACKS OF	Php 214,000.00	Php500.00	
ABRERA, MPA,		FEEDS (FARM INPUTS)	Filp 214,000.00	F11p300.00	
FCU, Assistant					
Regional Focal					
Person of SAAD.		ten (10) sacks - Slow sinker Pre-starter feeds (bangus) 20 kgs/sack			
JimiD.		Crude protein: 26-31%			
		Crude fat: 6-7 %		P_7	
		Crude fiber: 5-6 %			
		Ash: 12-16 % Moisture: 12-13 %			
		Fiolstare: 12 13 /0			
		twelve (12) sacks - Slow sinker Starter feeds			
		(bangus) 25 kgs/sack			
		Crude protein: 31-34 % Crude fat: 6-7 %			
		Crude fiber: 5-6 %		<i>F</i> 1	
		Ash: 12-16 %			
, e		Moisture: 12-13 %			
		forty-five (45) sacks - Slow sinker Grower feeds			
		(bangus) 25 kgs/sack			
		Crude protein: 30-31 %			
		Crude fat: 6 % Crude fiber: 6-7 %		,	
		Ash: 12-16 %			
,	$\langle \cdot \rangle$	Moisture: 12-13 %			
		forty (40) sacks - Slow sinker Finisher feeds			
		(bangus) 25 kgs/sack			
		Crude protein: 28-29 %			
		Crude fat: 6 %			
		Crude fiber: 6-7 % Ash: 12-16 %			
		Moisture: 12-13 %			
		Deliver on site			
	3	MATERIALS FOR FISHPOND AREA IMPROVEMENT	Php 184,000.00	Php 500.00	
		nine (9) bundle - Polyethylene net #400/12 x 12k x 200md (100 meters/bundle) Forty (40) rolls - Polyethylene rope #12, 6mm diameter (200 meters/roll)			
		Five (5) kilo - Monofilament 200mm			
		Deliver on site			



	REGIONAL FISHERIES OFFICE - MIMAROPA			
	4	POST HARVEST	Php 126,000.00	Php 500.00
		THREE (3) UNITS OF 11 cu. ft. UPRIGHT FREEZER		
		Specification: HD Inverter No-Frost Upright Freezer		
		R600a Refrigerant Energy Efficient Inverter Compressor 3 Tempered Glass Shelves		
		1 Sliding Drawer 3 Bottom Drawers		
		Dimensions (h:w:d) - 185 : 60 : 68.5 cm		
	5	Deliver on site VARIOUS POST-HARVEST EQUIPMENT	Php 219,600.00	Php 500.00
		Sub-lot 1: One (1) sets – Analog Weighing Scale	1110 213,000.00	1 np 300.00
		Specification: Capacity: 150kg		
		Mechanical Dial Type, Flat Plate Graduation / Readability: 0.5 kg		
		Dimensions (mm): 410 x 410 x 390 Legal for Trade		
		Anti-Bacterial Powder Coat		
		Sub-lot 2: Three (3) sets – Analog Weighing		
		Scale Specification:		
		Capacity: 100kg Mechanical Dial Type, Flat Plate		
	77	Graduation / Readability: 0.5 kg Dimensions (mm): 410 x 410 x 390		
W		Legal for Trade Anti-Bacterial Powder Coat		
		Sub-lot 3: One (1) sets – Analog Weighing Scale Specification:		
	M	Capacity: 60kg Mechanical Dial Type, Flat Plate		
		Graduation / Readability: 0.2 kg Legal for Trade Anti-Bacterial Powder Coat		
*		Sub-lot 4: Three (3) sets – Analog Weighing		
		Scale Specification:		
		Capacity: 30kg Mechanical Dial Type)
		Flat Plate Graduation / Readability: 0.1 kg	40	
		Legal for Trade Anti-Bacterial Powder Coat		
		Sub-lot 5: Three (3) sets – Analog Weighing		
		Scale Specification:		
		Capacity: 20kg Mechanical Dial Type, Big Bowl		
		Graduation / Readability: 0.1 kg Dimensions (mm): 290 x 290 x 310		
		Legal for Trade Anti-Bacterial Powder Coat		
		Sub-lot 6: Twenty (20) sets – Analog Weighing Scale		
		Specification: Capacity: 10kg		
		Mechanical Dial Type, Big Bowl Graduation / Readability: 0.05 kg		
		Dimensions (mm): 280 x 230 x 280 Legal for Trade		
		Legal for Trade Anti-Bacterial Powder Coat		



	REGIONAL FISHERIES OFFICE - MIMAR	UPA	
	Sub-lot 7: Two (2) sets – Digital Weighing Scale Specification: Capacity: 50kg Balance / Scale Type: Platform Resolution (g): 20g Large backlit LCD display, digit height 21 mm Dimensions weighing surface (W×D) 320×260 mm Sub-lot 8: four (4) sets – Digital Weighing Scale Specification: Capacity: 40kg Graduation: 2g Storage up to 8-unit prices AC 220v and built-in rechargeable battery Accumulate operation (0-99) Sub-lot 9: five (5) pcs – Icebox Chest Cooler Specification: Capacity: 100L HDPE with lid Color: Blue with BFAR logo (embossed/engraved) Sub-lot 10: five (5) pcs – Icebox Chest Cooler Specification: Capacity: 52L High quality plastic, sturdy and compact, with lid Color: Blue with BFAR logo (embossed/engraved) Sub-lot 11: five (5) pcs – Icebox Chest Cooler Specification: Capacity: 45L High quality plastic, sturdy and compact, with lid Color: Blue with BFAR logo (embossed/engraved) Sub-lot 12: thirty (30) pcs – Styro chest / Styrofoam Cooler Specification: Size: (17"X12"X13") Sub-lot 13: five (5) pcs – Rubberized Banyera Specification: Capacity: 70L Oval Color: Blue with BFAR logo (embossed/engraved) Deliver on site		
6	TWENTY (20) SETS OF FISH CONTAINER (HDPE)	Php 100,000.00	Php 500.00
	Specification: Capacity: 60L Material: virgin food grade Color: blue High density polyethylene (HDPE) resin with UV stabilizer with embossed/engraved BFAR logo Deliver on site		
7	TWO (2) SETS OF PORTABLE 7.5kva DIESEL GENERATOR Specification: Rated frequency (Hz): 50 Rated & Maximum power(kW): 7.5 Rated current(A): 34.09	Php 160,000.00	Php 500.00



		T	
	Manner of working: 6.1 hours Bore*stroke(mm): 98 X 84		
	Deliver on site		
8	THREE (3) SETS OF PORTABLE 3.5kva DIESEL GENERATOR	Php 210,000.00	Php 500.00
	Specification: Rated voltage(V): 220-240 Rated frequency (Hz): 60 Max. output (kW): 3.5 Engine: Diesel 5.7HP Rated speed(rpm): 3600 Fuel tank(L): 15		
	Deliver on site		
9	CAPTURE FISHERIES	Php 218,760.00	Php 500.00
	MATERIALS FOR GILL NET		
	Specification: two (2) Bundle - Monofilament 9k x 100 md x .025mm (1000m/bundle) one thousand (1,000) pcs - Rubber floater (r-2) two hundred ten (210) kilo - Lead sinker (xx) one hundred sixty-eight (168) packs - Monofilament 040mm/10lbs (10 clips/pack) ten (10) kilos - Monofilament 150mm/90lbs one (1) bundle - Monofilament 7k x 100 md x .030mm (1000m/bundle)		
	eighty (80) kilos - Monofilament 120mm two thousand five hundred (2,500) pcs - Rubber		-
	floater (r-1) six (6) bundle - Monofilament 8k x 200 md x .030mm (1000m/bundle) five (5) - Monofilament 8k x 200 md x .030mm (1000m/bundle)		
	Deliver on site		
10	MATERIALS FOR FISH AGGREGATING DEVICE (PAYAO)	Php 1,313,050.00	Php 1,800.00
	Specification: Fifty-nine (59) pcs – Thermochest/Extruded		
,	polystyrene foam cylindrical drum size 21"x 36" Thirty-four (34) rolls - Polypropylene rope,		
	24mm diameter (200 meters/roll) Fourteen (14) pcs - Stainless swivel (5/8")		•
	Fourteen (14) kilo - Nylon Line 250mm/200lbs Seventy-two (72) roll - Polypropylene rope,		
	18mm diameter (200 meters/roll) Thirty-four (34) sack - Cement (40 kgs/sack)		
	Sixty (60) pcs - Used tire ring Nine (9) roll - Polyethylene rope #14, 7mm diameter (200 meters/roll) Six (6) roll - Polyethylene rope #14, 7mm		
	diameter (200 meters/roll) Five (5) pack - Nylon Line, 180mm/140lbs (1kg/pack) One (1) buddle - Polyethylene net #400/12 x 12k x 100md (100 meters/bundle) Four (4) pcs - Stainless swivel (3/4")		
	Deliver on site		
11	GASOLINE ENGINE	Php 320,000.00	Php 500.00
	Sub-lot 1: Ten (10) units - 18HP High Speed Engine Specification: Speed: 4500rpm Displacement: 490cc Bore & Stroke: 94mmx70mm		



		REGIONAL FISHERIES OFFICE - MIMAR		
		Starting System: Recoil Starter Fuel Tank Capacity (L): 6		
		Deliver on site		
		Sub-lot 2: One (1) unit - 5HP High Speed Engine Specification:		ļ
		Speed: 4000rpm Displacement: 183cc		
		Bore & Stroke: 68mmx45mm		
		Starting System: Recoil Starter		
		Fuel Tank Capacity (L): 3.8		
		Deliver on site		
	12	DIESEL ENGINE	Php 1,234,500.00	Php 1,700.00
		Sub-lot 1: three (3) units - 20HP Low Speed		
		Engine		
		Specification: Speed: 1800rpm		
		Displacement: 498cc		
		Bore & Stroke: 92mmx75mm		
		Starting System: Marine Pulley (MANUAL + ELECTRIC START)		
		Fuel Tank Capacity (L): 12		
		Sub-lot 2: ten (10) units - 16HP High Speed Engine		
		Specification:		
		Speed: 3600rpm		
		Displacement: .456L Bore & Stroke: 88mmx75mm		
		Starting System: Recoil and Electric Start		
		Fuel Tank Capacity (L): 5.5		$\Lambda \Lambda$
		Sub-lot 3: five (5) units - 14HP Low Speed		
		Engine		(A)
75		Specification:		
		Speed: 1800rpm Displacement: 456cc		
17		Bore & Stroke: 88mmx75mm		
		Starting System: Recoil Start/ Optional Electric Start		
		Fuel Tank Capacity (L): 5.5		
		Sub-lot 4: thirty-eight (38) units - 12HP Low		
		Speed Engine		
		Specification:		
		Speed: 1800rpm Displacement: 0.456L		
		Bore & Stroke: 88mmx75mm		
		Starting System: Recoil-type Manual Starter		
		Fuel tank capacity (liters): 5.5		
		Deliver on site	7	
	13	VARIOUS FISHING GEARS AND	Php 105,300.00	Php 500.00
		PARAPHERNALIA		
		Sub-lot 1: Materials for Fish Trap		
		Specification:		
		One (1) roll - Polyethylene Green Screen 4 ft height, 1" (30meters/roll)		
		Three (3) roll - Polyethylene Green Screen 4 ft		
		height, 1/2" (30meters/roll)		
		Sub-lot 2: four (4) sets of 50 watts Solar Panel		
		with 11 watts Bulb		
		Specification: 50W solar panel		
		10A controller		
		12V-40AH battery 1000w inverter, heavy duty		
		20 meters cable		
		5 pcs LED bulb		

	REGIONAL FISHERIES OFFICE - MIMAR	0171	
14	BOAT REPAIR MATERIALS	Php 254,600.00	Php 500.00
45	Specification: Fifty (50) pcs - Marine plywood 4x8x1/4' Five (5) gallon - Marine epoxy (A and B) Sixteen (16) can - Epoxy primer with catalyst twenty-one (21) kilo - Copper nail 1 1/2' Sixteen (16) kilo - Copper nail 1' Fifteen (15) kilo - Copper nail 2' Twenty (20) gallon - Marine Quick Dry Enamel (blue - 5, white - 15) Deliver on site	Phy 267 740 00	Ph.: 500.00
15	MATERIALS FOR FIBERGLASS REINFORCED PLASTIC BOAT	Php 267,740.00	Php 500.00
	Specification: Eighteen (18) kilo - Gelcoat, Promoted, Isophthalic Fifty-three (53) kilo - Chopped Strand Mat (CSM) 450 Twenty-four (24) kilo - Woven Roving (WR) 600 One hundred sixty-eight (168) kilo - Pre-mixed Resin, Thixotropic Five (5) liters - MEKP Hardener, Imported One (1) gallon - Release Agent/Wax (paste) One (1) gallon - Body Filler Five (5) liter - Styrene Monomer Ten (10) liter - Lacquer Thinner One (1) liter - Cobalt Accelerator Four (4) kilo - Calsomine Powder Two (2) pcs - Paint Brush, 3", white bristle Three (3) pcs - Baby Paint Roller, 3", cotton Three (3) pcs - Baby Paint Roller, 4", cotton One (1) pc - Pail, small One (1) pc - Dipper One (1) kilo - Waste Rag Two (2) pc - Sand Paper #36D One (1) pc - Sand Paper #120 Two (2) pc - Cutting Disc 4" Two (2) pc - 4" Sanding Disc #36 Two (2) pc - 4" Flap Disc grit 36 One (1) pc - Dust mask One (1) pc - Putty knife (palita) Three (3) pc - Just mask One (1) pc - Aluminum Roller, 1/2" x 3" One (1) pc - Aluminum Roller, 1/2" x 3" One (1) pc - Adjustable Volume Dispenser Two (2) pc - Demolding wedge 10" One (1) pc - Rubber mallet One (1) pc - Rubber mallet One (1) par - Modeling Clay, bar, non-hardening Two (2) pair - Gloves, cotton Two (2) pc - Safety Glasses Sixteen (16) unit - Stainless Shaft 3/4" x 8" w/ thread, ring nut & lock pin One (1) unit - Brass Pipe 3/4" x 7' One (1) unit - Stainless Propeller 3/4" x 9" One (1) unit - Stainless Propeller 3/4" x 9" One (1) unit - Stainless Propeller 5/8" x 2 1/2" Four (4) pc - Stud bolt w/ nut & washers, 3/8" x 2" Ten (10) unit - Stainless Propeller 5/8" x 2 1/2" Fifteen (15) unit - G.I. Pipe Gauge 40 Deliver on site		



- 2. BFAR-MIMAROPA now invites bids for the above Procurement Project. Bids received in excess of the ABC for each lot shall be automatically rejected at bid opening. Delivery of the Goods shall be made in accordance with the terms specified in Section VI (Schedule of Requirements). Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective bidders may obtain further information through MR. DEEJAY A. LABIAGA, BAC Secretariat Head of the BFAR MIMAROPA BAC OFFICE, at Telephone No. (043) 288-6322 and inspect the Bidding Documents at the address given below from 8:00 AM to 5:00 PM only, during Mondays thru Fridays.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders from the given address below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, until February 28, 2024; 2:00 PM, and may opt to purchase any or all lots.
- 6. The BFAR-MIMAROPA will hold a **Pre-Bid Conference on February 16, 2024; 2:00 PM** at the address given below and/or through videoconferencing/webcasting via Google Meet. Participants as well as qualified bidders shall be notified of the link by the BAC Secretariat.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before February 28, 2024; 2:00 PM. Late bids shall not be accepted.
- All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- Bid opening shall be on February 28, 2024; 2:00 PM at the given address below and/or through videoconferencing/webcasting via Google Meet. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The BFAR-MIMAROPA does not condone any form of solicitation on any prospective winning and losing bidders by any of our staff/employees or any other party. Any sort of this kind shall be reported immediately to the Office of the Secretary or the National Bureau of Investigation (NBI) for entrapment and proper investigation.
- 11. The BFAR-MIMAROPA reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

MR. DEEJAY A. LABIAGA, RDS CON Head, Bids and Awards Committee (BAC) Secretariat BFAR MIMAROPA BAC OFFICE 2/F Le Grace Bldg., Brgy. Guinobatan, Calapan City, Oriental Mindoro bac.4b@bfar.da.gov.ph Tel: (043) 288-6322

13. You may visit this website:

https://mimaropa.bfar.da.gov.ph/

06 February 2024